

IN THE SPECIFICATION

Please replace the paragraph beginning on page 1, line 6, with the following:

The present application is related to the following co-pending U.S. Patent Applications: U.S. Patent Application Serial No. [[____]] (~~Docket No. AUS920010960US1~~) filed on [[____]] 09/997,802, titled “Maintaining Data Integrity Within A Distributed Simulation Environment”; U.S. Patent Application Serial No. [[____]] (~~Docket No. AUS920010962US1~~) filed on [[____]] 09/997,768, titled “Centralized Disablement Of Instrumentation Events Within A Batch Simulation Farm Network”; U.S. Patent Application Serial No. [[____]] (~~Docket No. AUS920000861US1~~) filed on [[____]] 09/997,767, titled “Fail Thresholding In A Batch Simulation Farm Network”; U.S. Patent Application Serial No. [[____]] (~~Docket No. AUS920000652US1~~) filed on [[____]] 09/997,460, titled “Tracking Coverage Results In A Batch Simulation Farm Network”; and U.S. Patent Application Serial No. [[____]] (~~Docket No. AUS920000651US1~~) filed on [[____]] 09/997,458, titled “Non-Redundant Collection Of Harvest Events Within A Batch Simulation Farm Network” and U.S. Patent Application Serial No. [[____]] (~~Docket No. AUS920010961US1~~) filed on [[____]] 09/997,845, titled “Annealing Harvest Testcase Collection Within A Batch Simulation Farm”. The above-mentioned patent applications are assigned to the assignee of the present invention and are incorporated herein by reference.

Please replace the paragraph beginning on page 12, line 9, with the following:

FIG. [[16B]] 16A depicts a batch simulation farm in which a preferred embodiment of the present invention may be implemented;

Please replace the paragraph beginning on page 12, line 12, with the following:

FIG. [[16C]] 16B is a flow diagram illustrating a progression of events from the creation of a specific simulation model to the removal of that model from batch simulation farm and instrumentation server in accordance with a preferred embodiment of the present invention;

Please replace the paragraph beginning on page 12, line 17, with the following:

FIG. [[16D]] 16C is a flow diagram depicting steps performed during execution of a simulation job within a batch simulation farm in accordance with a preferred embodiment of the present invention;

Please replace the paragraph beginning on page 87, line 1, with the following:

With reference now to **FIG. [[16B]] 16A**, there is illustrated a batch simulation farm **1601** in which a preferred embodiment of the present invention may be implemented. Batch simulation farm **1601** consists of geographically distant simulation farm nodes **1680a-d**. Within these nodes, general-purpose computers **1600a-n** are interconnected via local area networks (LANs) **1610a-d**. LANs **1610a-d** are further connected by means of a wide-area network (WAN) **1690**, which provides communication among multiple simulation farm nodes **1680a-d**. Those skilled in the art will recognize that many possible network topologies are possible for a batch simulation farm.

Please replace the paragraph beginning on page 91, line 14, with the following:

With reference to the flowchart of **FIG. [[16C]] 16B** in conjunction with **FIG. 15**, there is depicted a progression of events from the creation of a specific simulation model to the removal of that model from batch simulation farm **1601** and instrumentation server **1699**. The process begins at step **1621**, which depicts the creation of the given simulation model. The simulation model is created in accordance with model build processes described hereinbefore.

Please replace the paragraph beginning on page 93, line 1, with the following:

With reference to the flowchart of **FIG. [[16D]] 16C**, the steps involved in simulation job execution step **1627** of **FIG. 16C** are depicted in greater detail. The process of executing a simulation job on a simulation client begins with step **1631**, which depicts the simulation client obtaining a copy of the model corresponding to the given simulation job provided by the model servers. As illustrated at step **1638**, the simulation client communicates with instrumentation server **1699** to obtain and process control information for the instrumentation events within the

simulation model. Proceeding to step **1632**, the simulation model is loaded into a hardware simulator or memory **44** of the simulation client.

Please replace the paragraph beginning on page 140, line 1, with the following:

As illustrated in **FIG. 23A**, the contents of memory **44** within harvest testcase server **2210** and instrumentation server **1699** utilized to implement harvest annealing include a harvest annealing program **2305** and harvest manager program **2215**, respectively. At ~~proscribed~~ prescribed intervals, harvest testcase server **2210** initiates harvest annealing program **2305** for a given simulation model. Harvest annealing program **2305** first opens a direct network connection on network **1720** to harvest manager program **2215** executing on instrumentation server **1699**. Harvest annealing program **2305** delivers harvest testcase list **2214**, which contains a list of the names of all testcases stored on harvest testcase server **2210** for the given model, to harvest manager program **2215**.

Please replace the paragraph beginning on page 140, line 13, with the following:

Harvest manager program **2215** compares the testcase name fields within master harvest hit table **2205** to the entries of testcase list **2214**. Any entry in master harvest hit table ~~[[2215]]~~ **2205** whose testcase field does not correspond to any testcase name entry within harvest testcase list **2214** indicates a lost harvest testcase that is not present in harvest testcase bucket **2300**. Detection of such lost harvest testcases results in the removal of the corresponding harvest event entries from master harvest hit table **2205**. Removal of these harvest event entries from master harvest hit table **2205** enables collection of testcases triggering the object harvest events during future simulation jobs.